Sup of

Memo

Work Order ID 65900

QC

Quality Control

Thursday, January 27, 2011 7:41:56 AM

Item ID: D3183-9 Accept Setup Start **Revision ID:** Stop Item Name: Cap **Start Date:** 1/27/2011 **Start Oty: 20.00 Cust Item ID:** Required Date: 1/27/2011 Req'd Qty: 20.00 **Customer:** Reference: Start Run Approvals: **Process Plan:** Date: Tooling: Date: Stop QC: Date: SPC (Y/N): Date: Sequence ID/ Operation Set Up/ Reject Reject Tool ID Tool # Plan Accept **Work Center ID Description** Qty Code Qty Number Stamp **Run Hours Draw Nbr Revision Nbr** D3183 Rev C1 100 0.00 Hardinge CNC LATHE SMALL Hardinge 0.00 Memo Hardinge CNC Lathe Small Turn D3183-9 Cap as per Folio FA3881 Deburr 110 QC2- Inspect parts off machine FAI/FAIB 0.00 QC 0.00 Memo Quality Control 11/127 120 QC8- Inspect parts - second check

	****			12. 172 : 111 : 1			. === - = - = =				
Work Ord Thursday, Janu											Page 2
Item ID:	D3183-9	<u>-</u>		Accept	,	<u></u>		S	etup Sta	rt	
Revision ID: Item Name:	Cap								Sto	р	
Start Date: Required Date Reference:	1/27/2011 : 1/27/2011	Start Qty: 20.00 Req'd Qty: 20.00			Cust Item Customer:	ID:					٠.
Approvals:	Process Pla	an:	Date:	Tooling:				R	Run Sta	rt	
	QC:		Date:	SPC (Y/N):		ate:			Sto	p	
Sequence ID/ Work Center I	D	Operation Description Identify as per dwg & Sto	ck Location: 236	Set Up/ Run Hours 0.00	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Packaging Packaging		Memo		0.00					Typ.	1/27	(Q)
140		QC21- Final Inspection -	Work Order Release	0.00						í \	10

QC21- Final Inspection - Work Order Release

QC Quality Control

Memo

0.00

1101/27 A) CLUI01/27

· Picklist Print

Thursday, January 27, 2011 7:41:54 AM

Work Order ID: 65900

Parent Item:

D3183-9

Parent Item Name: Cap

Start Date: 1/27/2011

Required Date: 1/27/2011

Start Qty: 20.00

Required Qty: 20.00

Comments:

All 06.05.03|| New issue|| KJ

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
MDELRINR1.000		Purchased	No			100	f	22.4250	0.0333	0.701053		1/2 3	7

Delrin Round Bar 1"

Location Loc Qty Loc Code MAT 22.425 22.425 116266

DART AEROSPACE LTD	Work Order:	105900
Description: Cap	Part Number:	D3183-9
Inspection Dwg: D3183 Rev: C1		Page 1 of 1

	FIRS	T ARTICLE II	NSPECII	ON CHE	CKLIST		
		X First Arti	cle	Prot	otype		
Drawing	Tolerance	Actual	Accept	Reject	Method o		ments
Dimension	lolerance	Dimension	Accept	Reject	Inspectio	n John	
Ø0.830	+/-0.005	0.830			Velh	31	1-7
Ø0.720	+/-0.002	0.721				- /	/
Ø0.747	+/-0.001	0.748			/		
R0.010	+/-0.010	R.Colo			RA	J'	
R0.031	+/-0.010	12,025			RN		
0.199	+/-0.001	197			Vern		
0.276	+/-0.010	-277			,		
0.039	+/-0.010	-040					
							,
				,			
	/						
						- /	
_							•
	•	-	-				
	 		·				
							· · · · · · · · · · · · · · · · · · ·
		1					
Measured by:	. As	Audited by:	JL,		Prototyp	e Approval:	N/A
Date:	11/1/21	Date:	11/61/3	X		Date:	N/A
Rev Date	Change					Revised by	Approved
A 04.04.20 B 06.03.09	New Issue Dimension Ø0.8	? (P/O D3183	-045)			KJ/RF/ KJ/JLM	1 A
00.03.09_	טש ווטופוושווע וויטופוווע וויטופ	30 Was 20.030				INDIDENT CALL	





 DESIGN	4	DRAWN BY	DART AEROSPACE HAWKESBURY, GNTARIO, CA	
CHECK	F)	APPROVED	DRAWING NO. D3183	REV. C SHEET 1 OF 4
DATE	04.0)2.17	BRACKET ASSEMBLY	SCALE 1:1
Α	0	3.01.24	NEW ISSUE	




DEO ATTACHED

	04.02.17	BRACKET ASSEMBLY
Α	03.01.24	NEW ISSUE
В	03.06.17	REMOVE BEARING; 1.012 WS 0.882
С	,04.02.17	ADD -045/-9; 0.182 WAS 0.431
(1	-47 04.11.09	, 0.830 WAS 0.850

D3121-21 BOLT (1)

D3183-045 BEARING ASSEMBLY (1)




D3183-1 BRACKET FOR -041 (SHOWN) D3183-2 BRACKET FOR -042 (OPPOSITE)

D3183-3 BRACKET FOR -043 (SIMILAR)

D3183-4 BRACKET FOR -044 (SIMILAR)

D3183-041 BRACKET ASSEMBLY (SHOWN) D3183-042 BRACKET ASSEMBLY (OPPOSITE D3183-043 BRACKET ASSEMBLY (SIMILAR) D3183-044 BRACKET ASSEMBLY (SIMILAR)





D3183-5 BEARING: SPECIFICATION CONTROL DRAWING

- 1) SINGLE ROW, DEEP GROOVE, CONRAD TYPE, SHIELDED
- 2) POSSIBLE SUPPLIER: NSK P/N 6800ZZ
- 3) ALL DIMENSIONS ARE IN INCHES


0.052 ±0.005 Ø0.600 +0.005 Ø0.394 0.000 I.D O.D.


D3183-7 WASHER

- 1) MATERIAL: AISI 303 ROUND BAR (M303R) **ANNEALED**
- 2) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES

COPYRIGHT © 2003 BY DART AEROSPACE LTD.









DETAIL A (2:1)

OA SS SI A

DEO ATTACHED

DETAIL B (20:1)





D3183-9 CAP

- 1) MATERIAL: DELRIN ROD, Ø1.00 (REF DART SPEC. M-DELRIN-R1.00)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES

D3183-045 BEARING ASSEMBLY

1) ASSEMBLE D3183-5 BEARING AND D3183-9 CAP

COPYRIGHT © 2003 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DRAWING	NO. TITLE		REV.C1	DART AEROSPACE LTD	D.E.O. NO.	SHEET NO.	SCALE
D3183	BRACKE	T ASSEMBLY	1 1	ENGINEERING ORDER	D3183-C1-1	SHEET 1 OF 1	итѕ
DRAWN	P	CHECKED	基	MFG. APPR.	APPROVED M	DE APPR.	
DATE	10.05.14	DATE 10.	06.30	DATE (8.06.30	DATE 10/06/30	DATE (0/06/30	

D3183-5 BEARING

ADD POSSIBLE SUPPLIER: KML P/N 6800-ZZ

BASIC LOAD RATING REQUIREMENT:

Cr = 1720 N (386 lb) MIN [DYNAMIC]

Cor = 840 N (188 lb) MIN [STATIC]

REF PAR 10-012



